Drug Free Australia's series exposing pill testing misinformation

Episode 1 – It's the ecstasy, stupid!!



Their narrative

 Pill Testing Australia falsely claims that pill deaths are from adulterants and impurities in party pills

Contraction of the

"There are more than half a dozen different techniques available for identifying the ingredients of the pill including detecting the presence of dangerous contaminants." Dr Alex Wodak, The Catholic Weekly 24 January 2019





https://www.catholicweekly.com.au/pill-testing-arguments-for-

and-against/

The Science

- Two scientific analyses of coroners' reports on ecstasy (MDMA) pill deaths in Australia
 - The first is a subset of the second larger study with . . .
 - 392 ecstasy deaths between 2000 and 2018
 - no deaths from impurities identified
 - 5% of deaths had another drug mixed in the pill
 - this indicates that ecstasy is causal in 95% of deaths
 - 'bad batch' deaths almost non-existent in Australia
 - only 3 Chapel Street Melbourne deaths (2017)
 - so it is likely, on the probabilities of ecstasy causing the other 95% of deaths, that 99% are caused by it



United Nations Office on Drugs and Crime (UNODC) presents

Science Addressing Drugs and HIV: State of the Art of Harm Reduction

Guest Editors: Monica Beg, Steffanie A. Strathdee, Michel Kazatchkine

https://pubmed.ncbi.nlm.nih.gov/31865118/

Their practise

From Pill Testing Australia's evaluation -p11

- After testing a pill is given a white, yellow or red card
- An ecstasy pill containing no other drug is white-carded
 - Yet it is ecstasy that kills most Australians

Diagram 3: Classification and reporting of detected substances

WHITE:	Where a substance was analysed, and was the same as what the patron anticipated that it might be
YELLOW:	Where a substance was analysed, and there was a significant disparity between the result and what the patron anticipated that it was
RED:	Where a substance was analysed, and revealed the presence of a substance known to be associated with increased harm / multiple overdoses/ death

Where a substance was analysed and returned an ambivalent result, or functional groups known to be associated with significant harm

Conclusion: There is no defensible rationale for pill testing

Report on the ACT GTM Pill Testing Pilot: a Harm Reduction Service

Prepared by the Safety Testing Advisory Service At Festivals and Events (STA-SAFE) Consortium

June, 2018

The STA-SAFE consortium consists of:

Harm Reduction Australia Australian Drug Observatory, Australian National University Noffs Foundation DanceWize, Harm Reduction Victoria Students for Sensible Drug Policy Australia



https://www.harmreductionaustralia.org.au/wpcontent/uploads/2018/06/Pill-Testing-Pilot-ACT-June-2018-Final-Report.pdf 4

Pill testing series

and the second second

• In this series

- 1. It's the ecstasy, stupid!!
- 2. How ecstasy causes death
- 3. More deaths the result
- 4. The UK's bad experience
- 5. Better equipment useless
- 6. Call out your politicians

Next episode

• In this series

- 1. It's the ecstasy, stupid!!
- 2. How ecstasy causes death

The second second

- 3. More deaths the result
- 4. The UK's bad experience
- 5. Better equipment useless
- 6. Call out your politicians